


# 235 Series

Mechanical



- **Robust**
- **Accurate**
- **Reliable**
- **Portable**
- **Dual Markings Available for Metric and Avoirdupois**
- **Low Cost**
- **Easy-to-Read**
- **Corrosion Resistant**
- **Capacities-** 5 kg / 11 lb to 300 kg / 660 lb

**VALUE IN  
WEIGHING**



## 235 Series

### Model 235-6S

Compact, robust and corrosion resistant, 150 mm / 6" diameter dial housed in a tough ABS plastic case with shatterproof polycarbonate dial cover. Low friction acetal bearings provide positive movement to give maximum sensitivity. Accurate to one part in 250 with up to 15% zero adjust. Supplied with top and bottom hooks.


**Option:** Oblong pan (5 kg / 11 lb only)

#### Single Marked

5 kg x 20 g  
10 kg x 50 g  
25 kg x 100 g  
50 kg x 200 g  
100 kg x 500 g

#### Dual Marked

5 kg x 20 g / 11 lb x 1 oz  
10 kg x 50 g / 22 lb x 2 oz  
25 kg x 100 g / 56 lb x 4 oz  
50 kg x 200 g / 110 lb x 8 oz  
100 kg x 500 g / 220 lb x 1 lb



### Model 235-6M


Compact, robust, 150 mm / 6" diameter dial housed in the traditional metal case. Accurate to one part in 250 with up to 10% zero adjustment. Supplied with top and bottom hooks.


#### Single Marked

5 kg x 20 g  
10 kg x 50 g  
25 kg x 100 g  
50 kg x 200 g  
100 kg x 500 g

#### Dual Marked

5 kg x 20 g / 11 lb x 1 oz  
10 kg x 50 g / 22 lb x 2 oz  
25 kg x 100 g / 56 lb x 4 oz  
100 kg x 500 g / 220 lb x 1 lb





## Model 235-10X

Heavy duty suspended scale. Easy to read dial housed in a robust die cast casing. Low friction bearings provides positive movement to give maximum sensitivity. Accurate to one part in 500 with up to 10% zero adjustment. Supplied with top and bottom hooks as standard.

### Single Marked


100 kg x 200 g  
200 kg x 500 g  
300 kg x 1 kg

### Dual Marked

200 kg x 500 g / 440 lb x 1 lb

### With Double Lipped Scoop

5 kg x 10 g



## Model 235-10S

Robust and corrosion resistant, large easy to read 254 mm diameter dial housed in a tough ABS plastic case with a shatterproof polycarbonate dial cover. Low friction bearings provide positive movement to give maximum sensitivity. Accurate to one part in 500 with up to 15% zero adjust. Supplied with top and bottom hooks.

**Option - Oblong pan (5 kg / 11 lb only)**

### Single Marked

5 kg x 10 g  
10 kg x 20 g  
25 kg x 50 g  
50 kg x 100 g  
100 kg x 200 g



# 235 Series Mechanical

## Options



### 5 kg/ 11 lb Oblong Stainless Steel Pan

(Can be supplied with 235-6S & 235-10S only)

#### Dual Marked

235-6S	5 kg x 20 g/11 lb x 1 oz
235-10S	5 kg x 10 g/11 lb x ½ oz

### 5 kg Double Lipped Stainless Steel Scoop

Can be supplied with 235-10X

	<b>Metric</b>
235-10X	5 kg x 10 g



a division of Avery Weigh-Tronix, LLC

### Brecknell

1000 Armstrong Dr., Fairmont, MN 56031  
Toll free: 800-637-0529, Tel: 507-238-8702  
Fax: 507-238-8271  
e-mail: [sales@brecknellscales.com](mailto:sales@brecknellscales.com)  
[www.brecknellscales.com](http://www.brecknellscales.com)



### Brecknell

Foundry Lane, Smethwick  
West Midlands B66 2LP UK  
Tel: +44 (0) 845 246 6717  
Fax: +44 (0) 845 246 6718  
Email: [sales@brecknellscales.co.uk](mailto:sales@brecknellscales.co.uk)  
[www.brecknellscales.co.uk](http://www.brecknellscales.co.uk)

